

# Material Safety Data Sheet

## Provided by:

DPC Industries, Inc.      DX Distributors, Inc.  
DPC Enterprises          DX Systems Company  
DXI Industries, Inc.      DX Terminals

PO Box 24600  
Houston, Tx 77229-4600  
281-457-4888  
888-647-7717  
www.dxgroup.com

## SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name**      POTASSIUM PERMANGANATE

### Synonyms

**Chemical Name**      POTASSIUM PERMANGANATE

**Emergency phone:**    281-457-4888

**Date of Issue:**      10/1/00

**Chemtrec:**            800-424-9300

**Revised Date:**      N/A

## SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENTS	PERCENT	CAS NO.
MANGANESE COMPOUNDS, N.O.S.		
MANGANESE		7439-96-5
POTASSIUM PERMANGANATE	> 99%	7722-64-7

## SECTION 3 - HAZARDS IDENTIFICATION

### Potential Health Effects

**ACGIH - TLV:**      5 mg/cu m

**Eye Contact**      MAY CAUSE SEVERE IRRITATION AND BURNS.

**Skin Contact**      MAY CAUSE IRRITATION AND BURNS.

**Ingestion**      MAY CAUSE SEVERE BURNS TO THE MOUTH AND DIGESTIVE TRACT.

**Inhalation**      MAY CAUSE UPPER RESPIRATORY TRACT IRRITATION AND POSSIBLE BURNS.

**Carcinogenicity:**    *NTP* NO    *IARC* NO    *OSHA* NO

## SECTION 4 - FIRST AID PROCEDURES

**Eye Contact:**      IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION.

**Skin Contact:**      IMMEDIATELY REMOVE CONTAMINATED CLOTHING OR SHOES, WIPE EXCESS FROM SKIN AND FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. USE SOAP IF AVAILABLE OR FOLLOW BY WASHING WITH SOAP AND WATER. DO NOT REUSE CLOTHING UNTIL THOROUGHLY CLEANED. GET MEDICAL ATTENTION.

**Inhalation:**      REMOVE VICTIM TO FRESH AIR AND PROVIDE OXYGEN IF BREATHING IS DIFFICULT. GIVE ARTIFICIAL RESPIRATION IF NOT BREATHING. GET MEDICAL ATTENTION.

**Ingestion:**      DO NOT INDUCE VOMITING. RINSE MOUTH WITH WATER. IF CONSCIOUS, GIVE LARGE QUANTITIES OF WATER OR MILK AND GET IMMEDIATE MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON!

## SECTION 5 - FIRE FIGHTING MEASURES

<b>Flash Point</b>	NOT APPLICABLE
<b>Extinguishing Media</b>	USE LARGE AMOUNTS OF WATER AS NEEDED.
<b>Special Firefighting Procedures/Precuations</b>	WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. STAY UPWIND AND KEEP OUT OF LOW AREAS.

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

<b>For Spill:</b>	SWEEP UP OR SHOVEL SPILLED MATERIAL INTO CONTAINERS FOR DISPOSAL. FLUSH AREA WITH LARGE AMOUNTS OF WATER AND DISCHARGE INTO SEWER IF PERMITTED BY AUTHORITIES.
-------------------	--

## SECTION 7 - HANDLING AND STORAGE

Keep container tightly closed when not in use. Store in a cool, dry, well-ventilated area, away from heat and incompatible materials. Protect containers from physical damage.

MINIMIZE DUST GENERATION WHEN HANDLING. KEEP AWAY FROM FOOD/DRINK/ANIMAL FEED. DON'T STORE IN OPEN/UNLABELED CONTAINER.

## SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

<b>Respiratory Protection</b>	USE A NIOSH/MSHA APPROVED RESPIRATOR FOLLOWING MANUFACTURER'S RECOMMENDATIONS WHERE DUST OR MIST MAY BE GENERATED.
<b>Ventilation</b>	LOCAL AND MECHANICAL RECOMMENDED.
<b>Protective Gloves</b>	CHEMICAL IMPERVIOUS GLOVES.
<b>Eye/Face Protection</b>	CHEMICAL SAFETY GOGGLES AND/OR FULL-FACE SHIELD.
<b>Other Protection</b>	CHEMICAL RESISTANT CLOTHING SUCH AS COVERALLS/APRON, BOOTS, ETC.
<b>Work Practices</b>	USE GOOD PERSONAL HYGIENE PRACTICES. WASH HANDS BEFORE EATING, DRINKING, SMOKING, OR USING TOILET FACILITIES. PROMPTLY REMOVE SOILED CLOTHING AND WASH THOROUGHLY BEFORE REUSE. SHOWER AFTER WORK USING PLENTY OF SOAP AND WATER.

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

<b>Boiling Point (°F):</b>	NOT APPLICABLE	<b>Vapor Pressure (mmHg):</b>	NIL
<b>Freezing Point (°F):</b>	464	<b>Vapor Density (Air=1):</b>	NOT APPLICABLE
<b>Solubility (H<sub>2</sub>O):</b>	COMPLETE	<b>Specific Gravity (H<sub>2</sub>O=1):</b>	2.70
<b>pH</b>	NOT APPLICABLE	<b>Evaporation Rate:</b>	NOT APPLICABLE
<b>Appearance/Odor:</b>	DARK PURPLE/BRONZE SOLID;CRYSTAL/NEEDLE OR FREE FLOW POWDER FORM; ODORLESS.		

## SECTION 10 - STABILITY AND REACTIVITY

<b>Chemical Stability:</b>	YES
<b>Incompatible Materials</b>	AVOID CONTACT WITH ACIDS, PEROXIDES, AND ALL COMBUSTIBLE ORGANIC OR READILY OXIDIZABLE MATERIALS, AND METAL POWDERS. IF IN CONTACT WITH HYDROCHLORIC ACID, CHLORINE GAS IS LIBERATED.
<b>Decomposition Products</b>	UPON HEATING, OXYGEN RELEASED. DECOMPOSITION PRODUCTS ARE ALKALINE.
<b>Hazardous Polymerization:</b>	WILL NOT OCCUR.

**SECTION 11 - TOXICITY INFORMATION**

LD50 (rat) = 780 mg/kg Male (14 days) and 525 mg/kg Female (14 days)

**SECTION 12 - ECOLOGICAL INFORMATION**

NO DATA AVAILABLE.

**SECTION 13 - DISPOSAL CONSIDERATIONS**

DISPOSE OF WASTE MATERIALS ACCORDING TO ALL FEDERAL, STATE AND LOCAL REGULATIONS.

**SECTION 14 - TRANSPORT INFORMATION**

**USA DOT Shipping Name:** POTASSIUM PERMANGANATE

**Hazard Class:** 5.1

**UN/NA Number:** UN1490

**Packing Group:** II

**Subsidiary Hazard**

**Marine Pollutant:** NO

**SECTION 15 - REGULATORY INFORMATION**

**CERCLA RQ (lbs):** 100

**SARA Title III Section 312:**

**Acute**     **Chronic**     **Flammable**     **Sudden Release of Pressure**     **Reactive**

**SARA Title III Section 313:** No

**SARA Extremely Hazardous Substance:** No

**HMIS HAZARD RATING**

**Health:** 1                      **Fire:** 0                      **Reactivity:** 0

**0 - Least    1 - Slight    2 - Moderate    3 - High    4 - Extreme**

**SECTION 16 - OTHER INFORMATION**

**EPA Pesticide Registration Number:** NOT APPLICABLE

**NSF Maximum Use Level for Potable Water (Standard 60):** NOT APPLICABLE

**TSCA (Toxic Substance Control Act), 40 CFR 710:**

Sources of the raw materials used in this mixture assure that all chemical ingredients present are in compliance with Section 8(b) Chemical Substance Inventory, or are otherwise in compliance with TSCA.

**DISCLAIMER**

THE DATA PRESENTED IS TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE AND BELIEF; HOWEVER, NEITHER SELLER NOR PREPARER MAKES ANY WARRANTIES, EXPRESSED OR IMPLIED, CONCERNING THE INFORMATION PRESENTED. THE USER IS CAUTIONED TO PERFORM HIS OWN HAZARD EVALUATION AND TO RELY UPON HIS OWN DETERMINATIONS.